

- 1.
- 2.
- 3.
- 4.
- 5.
- 6.
- 7.
- 8.
- 9.
- 10.
- 11.

12.

13.

14.

15.

16.

17.

18.

1

XXXXXXXXX (

1.1

1.2

1.3

1.4

1.5

1.6

1.7

1.8

ASME

ASME UV

ASME UV

1.9

SI

MPa

inch Lb

		mm	(mm)					
1	A48Y-200V	DN80/DN200 PN200	60	:11.5MPa/ 11.85MPa/ 11.85MPa/ 10.35MPa/ 13MM/ V/ G-0.975 / ≤ 540			2	A68Y-200V
2	A48SH-64I	DN250/DN350	150	5.04 a)MPa				

PN6.4

					5.06MPa/2.204MPa			
3	A49Y-40	PN4.0/ DN250 DN350		235.6 173.2 / 2.7 0.594		WCB 273*7/ 277*7	2	2.3MPa 2 GA49H-40/DN25 2.7MPa/ 4MPa/ 25 230 / 2.3MPa WCB
4	27DA33H-S40 -SP	PN32 /DN 1"		21.6MPa 25MM 25MPa		WCB	2	

3

3.1

7

		7		

3.1.1

a 17
b

3.2

-
-
-
-
-
-
-
-

4

API RP 520
API 526

API 2000
API 527
ASTM A193
ASTM A194
ASTM A320
NACE MR-0103
ASTM A216
ASTM A182
ASTM A351
ANSI B16.11
API 521
ASME Sec V
ASME PTC25
ASME
TSG ZF001-2006
ASME / ANSI B16.5
ASME / ANSI B16.34
ASME / ANSI B46.1
ASME / ANSI PTC 25.3
ASME

5

6

6.1

6.1.1 ASME VIII

ASME VIII

6.1.2

6.1.3

6.1.4

6.1.5

6.1.6

6.1.7

6.1.8

6.2

6.2.1

6.2.2 ASME B16.5

6.2.3 ASME B16.5, Ra 125 250 AARH(3.2 6.3)

Ra 63 AARH (1.6)

6.3

ASME VIII

● $\pm 1\%$

● 10% 21%



7%

15%

7

7.1

7.1.1

7.1.2

7.1.3

7.1.4

()

7.1.5

7.2

24

7.3

Stellite

3mm

7 4

7.4.1

1 1/4Cr-1/2Mo 2 1/4Cr-1Mo 9Cr-1Mo-V + 5Cr-1/2Mo 9Cr-1Mo +

7.4.2

7.4.3

7.5

8

8.1 100%UT

8.2

8.2.1 ASME/ANSI B16.34

API 527

8.2.2

8.2.3 ASME PTC25

8.2.4 /

8.3

8.4

8.5

8.5.1 1 1/4Cr-1/2Mo 2 1/4Cr-1Mo 9Cr-1Mo-V + 5Cr-1/2Mo 9Cr-1Mo

+

8.5.2

-
-
-
-
-

13

13.1

13.2

13.3

13.4

24

24

14

14.1

2

3

14.2

				/		
1		1+1	1			*

2		1+1	1			*
3		1+1	1			*
4				7/1		
5	()			7/1		
6		1+1				
7				7/1		
8				7/1		
9				7/1		

●
●
●

0596-6311294/19959614208

363216

E-mail jjliu@fhcpec.com.cn